

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3214	(client user) with (request\$4 receiv\$4) with (value information) with (proxy mediat\$5 intermediat\$4 server) and attribute near4 value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:28
L2	960	1 and (server sources) with (send\$4 deliver\$4 provid\$4 present\$4 supply\$4 communicat\$4 transfer\$4 transmit\$4) with value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:31
L3	766	2 and (first second) with (server supply\$4 provider)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:32
L4	25	3 and (client user) with request\$4 with value same determin\$4 same (value with received) same satisfy\$4 same (request\$4 criteria)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:35
L5	25	3 and (client user) with request\$4 with value same determin\$4 same (value with received) same satisfy\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:40
L6	32	3 and (client user) with request\$4 with value same determin\$4 same (value with received) same (match\$5 satisf\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:40
L7	7	6 not abbott.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:41
L8	25059	709/224,206,202, 203;719/318;706/45,60,61,65, 14,15;715/708,709,744-748.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:46
L9	6449	8 and (provid\$4 present\$4) with (information value) with (client user) not abbott.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:46

EAST Search History

L10	378	9 and (match\$4 satis\$5) with (indicated requested)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:48
L11	7	10 and (send\$4 receiv\$4 request\$4) with (supplem\$5 additional) with value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:49
L12	97788	first with (service information value) with (source provider server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:54
L13	62679	12 and second with (service information value) with (source provider server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:55
L14	11216	13 and (information value) same (proxy mediat\$5 intermed\$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:56
L15	3881	14 and (first second) with (information value) same (proxy mediat\$5 intermed\$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:56
L16	2739	14 and (first with second) with (information value) same (averag\$4 estimat\$4 proxy mediat\$5 intermed\$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:57
L17	42	16 and determin\$4 with (first with second) with (information value) same (satisf\$4 match\$4) same request\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:59
L18	3	17 and mediat\$4 with value	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 10:59

EAST Search History

L19	5	17 and mediat\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:00
L20	39	17 not abbott.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:00
L21	1361	14 and (first with second) with (value) same (averag\$4 estimat\$4 proxy mediat\$5 intermed\$5 middle)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:07
L22	4	14 and determin\$5 same (first with second) with (value) same (averag\$4 estimat\$4 proxy mediat\$5 intermed\$5 middle) same (satisf\$4 same request\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:08
L23	47	determin\$5 with (first with second) with (value) same (satisf\$4 same request\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:09
L24	32	determin\$5 with (first with second) with (value) same (satisf\$4 with request\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/02/19 11:09
L25	0	(computer method) NEAR5 providing WITH mediated NEAR6 (value information) WITH current near5 user near6 (state context\$4 condition) with model\$5 with (multiple several more) with (variables conditions context\$4 state attributes).CLM.	US-PGPUB	OR	ON	2008/02/19 11:18
L26	0	((computer method) NEAR5 providing WITH mediated NEAR6 (value information) WITH current near5 user near6 (state context\$4 condition) with model\$5 with (multiple several more) with (variables conditions context\$4 state attributes)). CLM.	US-PGPUB	OR	ON	2008/02/19 11:19

EAST Search History

L27	0	(providing WITH mediated NEAR6 (value information) WITH current near5 user near6 (state context\$4 condition)). clm.	US-PGPUB	OR	ON	2008/02/19 11:19
L28	10	(determin\$4 with first with second with value with satisf\$4) with (request\$4 criteria).clm.	US-PGPUB	OR	ON	2008/02/19 11:21
L29	1	28 and (receiv\$4 with additional with values with (satisf\$5 indicated) with attribute).clm.	US-PGPUB	OR	ON	2008/02/19 11:24
L30	2	28 and ((generat\$4 produc\$4) with (averag\$4 estimat\$4 mediat\$4) with value).clm.	US-PGPUB	OR	ON	2008/02/19 11:26
L31	1	28 and (send\$4 with (client user) with mediated with value with indicated sith state near attribute).clm.	US-PGPUB	OR	ON	2008/02/19 11:28